



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of
Jeffrey H. Yanof

COPY OF PAPERS
ORIGINALLY FILED

Examiner

Group Art: 3763

Serial No.: 09/990,127

Filed: November 21, 2001

Title: Diagnostic Imaging Interventional Apparatus

Attorney Docket No.: PII 3330

January 30, 2002

Commissioner for Patents
Washington, D.C. 20231

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Enclosed are six (6) sheets of corrected drawings for this application (FIGS. 1-7). Please substitute these drawings for the drawings submitted with the filing of the application. A copy of the *Notice to File Corrected Application Papers* is also enclosed.

Respectfully submitted,

Thomas M. Lundin

Thomas M. Lundin
Reg. No. 48,979

Tele: 440/483-4281

Enclosure

19926.1

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231 on this 30th day of January, 2002.

Patricia R. Tschantz
Patricia R. Tschantz



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20531
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/990,127	11/21/2001	Jeffrey H. Yanof	PII 3330

Thomas M. Lundin
Attn: Thomas M. Lundin, Esq.
PHILIPS MEDICAL SYSTEMS (CLEVELAND), INC.
595 Miner Road
Highland Heights, OH 44143

CONFIRMATION NO. 2796

FORMALITIES LETTER



Date Mailed: 01/17/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09990127-022002